

**Interpon D2525 Flex:** Flexible Superdurable Powder Coatings



# Go Superdurable, Stay Flexible

Now there is a solution for upgrading the weatherability of your assets without risking cracks after mechanical tooling\*

New Interpon D2525 Flex is an AkzoNobel innovation offering a superdurable powder coating based on highly reliable Interpon D technology, but now with added flexibility.

Interpon D2525 Flex is the only powder coating to provide superdurable protection whilst allowing for the same mechanical tooling as standard durable coatings. And thanks to its toughness, your assets will retain their stylish looks for many years to come.

After the successful launch of Structura Flex, this capability is now extended to the full range and also available in Gloss, Satin and Matt.

**Go Superdurable, Stay Flexible**


## Key Benefits

- Available in Gloss, Satin, Matt and Structura
- Superdurable polyester
- Excellent scratch and weather resistance, gloss retention and color stability
- Available in any color
- Up to 25 years product guarantee for Approved Applicators\*\*
- 5 years Florida test (AAMA 2604)
- Maintenance friendly


## Proven Performance

Proven Performance Interpon D2525 Flex meets the demanding weathering requirements of leading industry specifications: Qualicoat Class 2, GSB Master, AAMA2604, BS EN 12206 and matches the mechanical performance advantages of Qualicoat Class 1 standard durable systems.


Interpon D2525 Flex in Gloss, Satin, Matt and Structura - upgrade to superdurable now!



Powder coatings are usually either highly **flexible** or **Superdurable**...




**Interpon D2525 Flex** combines both of these attributes.



It means our powder coatings customers can now upgrade to a **superdurable** level...

...without compromising on **flexibility**.






Find out more about  
Interpon D2525 Flex

## Superdurable vs Superdurable Flex

Erichsen Cupping



Standard Superdurable



Interpon D2525 Flex

Impact




Standard Superdurable




Interpon D2525 Flex

Cylindrical Bending



Standard Superdurable



Interpon D2525 Flex

### Mechanical Performance of Interpon D2525 Flex in Gloss, Satin, Matt and Structura

Property	Test Method	Test Result
Erichsen Cupping	ISO 1520	Pass - 5mm***
Cylindrical Bending	ISO 1519	Pass - 5mm***
Impact Resistance	ISO 6272-2	Pass - 2.5N.m

\* Actual product performance will depend on the individual circumstances in which the product is used.

\*\* Contact us for Interpon D guarantees valid for finishes approved by AkzoNobel.

\*\*\* Testing has been performed under laboratory conditions and is for guidance only. Actual performance will depend on the individual circumstances in which the product is used.

### Follow us

Powder Coatings by AkzoNobel



For more information visit [interpon.com](https://www.interpon.com)  
or speak to your local representative.



### Environmental Production Declaration

An EPD® is a certified Eco-footprint;  
our commitment to sustainability.



### Download our app

AkzoNobel Design app has been created especially  
for use by architects, specifiers and designers.

# Interpon®

All products supplied & technical advice given are subject to the standard terms of sale of the AkzoNobel supplying company. Copyright ©2020 Akzo Nobel Powder Coatings Ltd. Interpon is a registered trademark of AkzoNobel. (Issue 1 - 09/2020).