Interpon®
POWDER COATINGS
Architectural

Interpon D Commercial Collection

Design, colours, finish

Your imagination starts with our finish

AUSTRALIAN MADE

AkzoNobel

Colours with design in mind

The Interpon Commercial Collection has been developed with design in mind. As the world's largest coatings company, no other company has more experience in colour and finish trends than AkzoNobel. The collection offers a broad taste of design, colour and finish options available to architects and specifiers for the decoration and protection of architectural aluminium. Interpon Powder Coatings also has the longest track record in superdurable technology globally.

Interpon D2525

Interpon D2525 meets the needs of the most demanding projects. Developed specifically for architectural components the range is ideal for both exterior and interior aluminium applications from curtain wall extrusions to balustrades and louver systems.

Providing superdurable protection from the elements the range exceeds global weathering standard AAMA2604, guaranteeing excellent colour retention and high resistance to chalking. Exceptional endurance to environmental stressors including high levels of UV radiation, humidity, heavy pollutants and extreme temperatures are achieved through super durable polymer technology engineered to withstand the weathering extremes of Australia and New Zealand. Guaranteed up to 25 Years Gold Global Warranty.*

Interpon D2525 Structura

Interpon D2525 Structura is a fine texture superdurable powder coating. Created with aesthetics and high performance in mind. Interpon D2525 Structura is the perfect powder coating for your contemporary design, it's mar resistant and ensures your buildings will stand the test of time.

Interpon D2525 Flat Matt

Our unique, Interpon D2525 Flat Matt range is a designers dream. Non-reflective surfaces open up new possibilities in aesthetics and the interaction of light with surfaces. Using ground breaking technology, the Flat Matt range offers amazing durability in the harshest of environments.

Interpon D3020

When unparalleled premium performance is a must for your project, Interpon D3020 based on fluorocarbon technology is the product of choice. Meeting AAMA2605 specification, D3020 offers premium colour and gloss retention with superior weathering performance. A viable cost effective and environmentally conscious alternative to liquid fluorocarbon paints can be achieved without performance compromise.

AAMA 2604

AAMA 2605

What to specify

Project type	Environment	D3020f	D2525*
Monumental	Coastal / Marine / Severe / Tropical	✓	
	Standard	✓	
Commercial	Coastal / Marine / Severe / Tropical	✓	✓
	Standard	✓	✓
Multi-density residential	Coastal / Marine / Severe / Tropical	✓	✓
	Standard	✓	✓
Domestic residential	Coastal / Marine / Severe / Tropical	✓	✓
	Standard	✓	✓

Product performance

	D3020f	D2525*
AS3715	✓	✓
AAMA 2603	✓	✓
AAMA 2604	✓	✓
AAMA 2605	✓	–
National Construction Code	NCC	NCC
Coating technology	Hyperdurable Fluoropolymer	Superdurable Polyester
Film integrity warranty	35 years	25 years
Colour retention warranty	30 years	20 years

Color Name	Technology	Code	Finish	R	G	B	LRV	SLR	Stock
Anodic Natural	D2525	YY223A		175	180	175	41%	5.29	S
Anodic Slate Grey	D2525	YY218A		137	136	135	23%	4.06	O
Appliance White	D2525	YA196A		238	243	240	91%	3.82	S
Asteroid Pearl	D2525	YY270A		91	92	84	11%	4.41	S
Basalt	D2525	YP227A		82	87	86	12%	0.64	S
Black	D2525	YN167A		44	50	49	5%	3.79	S
Black Ink	D2525	YN21BA		48	53	51	4%	0.56	S
Bleu	D2525	YY311A		54	73	84	8%	1.00	O
Bondi Blue	D2525	YJ046A		48	131	193	20%	4.17	S
Brilliance	D2525	YY23TA		103	99	88	15%	0.83	S
Brilliant Yellow	D2525	YE087A		245	223	61	66%	4.55	S
Bronze Pearl	D2525	YY225A		77	71	56	8%	4.59	S
Champagne Pearl	D2525	YY276A		178	180	172	41%	4.58	S
Champagne Riche	D2525	YW277G		189	184	167	44%	5.17	O
Champagne Shimmer	D2525	YY24NA		135	127	114	25%	0.99	S
Charcoal	D2525	YP116A		62	70	73	8%	3.81	S
Charcoal	D2525	YL238A		60	67	69	6%	2.51	S
Charcoal Pearl	D2525	YY237A		63	65	62	6%	3.14	S
Citi Pearl	D2525	YY245A		180	184	180	43%	5.40	S
Copper Penny	D2525	YY22AA		143	98	68	18%	3.07	O
Dark Bronze	D2525	YY20BA		67	65	56	6%	0.69	S
Dark Grey	D2525	YP278A		67	73	75	8%	2.33	S
Driftwood	D2525	YL258A		208	213	210	58%	3.46	S
Ebony	D2525	YN201A		49	54	51	4%	3.10	S
Endura Bronze	D2525	YY248A		93	93	88	13%	4.51	S
Eternal Silver	D2525	YW100C		149	154	161	30%	6.42	S
Golden Touch Pearl	D2525	YY25BA		133	119	92	22%	1.35	S
Grey	D2525	YP174A		111	118	119	21%	4.02	S
Jaybird	D2525	YJ175A		27	97	147	11%	3.96	S
Linen	D2525	YY28PA		222	224	218	73%	2.04	S
Lobster	D2525	YG154A		165	56	45	12%	4.46	S
Lunar Grey	D2525	YP273A		194	200	197	60%	2.66	S
Luxe Bronze Pearl	D2525	YY255A		173	164	144	36%	4.27	S
Lycra Strip	D2525	YK063A		200	217	84	53%	4.56	S
Medium Bronze Pearl	D2525	YY23NA		87	80	66	11%	1.37	S
Monument®	D2525	YP229A		55	59	57	6%	0.40	S
Monument® MKII	D2525	YP182A		68	73	72	9%	3.86	S
Monument®	D2525	YL264A		62	59	56	8%	2.00	S
Natural Shimmer	D2525	YY25AA		186	190	189	46%	2.30	S
Nobel Silver Pearl	D2525	YX136A		149	149	147	31%	5.23	S
Oia Silky	D2525	YL316I		164	160	154	39%	1.04	O
Pacific Blue	D2525	YY23BA		112	129	133	20%	1.39	O
Pearl White	D2525	YA075A		236	243	244	91%	4.82	S
Pearl White	D2525	YA278A		249	255	255	89%	3.86	S
Pewter Pearl	D2525	YY124A		128	135	136	27%	5.77	S
Pure Gold	D2525	YY22BA		169	141	95	27%	0.98	S
Scintillating Champagne	D2525	YW26FC		145	138	126	29%	4.68	S
Sensation	D2525	YF049A		222	106	49	75%	4.24	S
Shamrock Green	D2525	YK043A		71	110	64	13%	4.17	S
Silver Pearl	D2525	YY230A		177	182	178	42%	4.83	S

Matt Flat Matt Satin Gloss Texture

Color Name	Technology	Code	Finish	R	G	B	LRV	SLR	Stock
Silver Riche	D2525	YW209G		171	178	176	40%	6.88	O
Str. Core Ten	D2525	YX365A		85	68	59	9%	0.54	S
Str. Golden Touch	D2525	YY35BA		137	123	97	24%	1.51	S
Str. Gris	D2525	YL325A		149	145	133	32%	0.99	S
Str. Surfmist	D2525	YA346A		206	210	204	67%	0.96	S
Str. Pearl White	D2525	YA378A		228	239	243	87%	0.88	S
Str. Brilliant	D2525	YY374A		94	98	98	15%	1.42	S
Str. Black	D2525	YN306A		48	53	52	5%	0.62	S
Str. Ironsand	D2525	YM333A		66	68	65	8%	1.36	S
Str. Monument	D2525	YL364A		66	70	70	8%	0.63	S
Str. Flaxpod	D2525	YL395A		61	65	65	7%	0.67	S
Str. Asteroid	D2525	YY369A		74	75	70	9%	1.38	S
Str. Medium Bronze	D2525	YY398A		79	74	63	9%	0.80	S
Str. Bass	D2525	YY373A		68	74	74	9%	1.07	S
Str. Silver	D2525	YX369A		157	163	161	39%	1.45	S
Str. Gondar Gold	D2525	YY372A		163	124	63	26%	1.50	S
Str. Ordos	D2525	YY324A		123	89	65	15%	1.12	S
Str. Scinti Champagne	D2525	YY318A		141	135	121	28%	1.95	S
Str. Quantum Green Pearl	D2525	YY315A		92	98	70	14%	1.13	S
Sunstone Bronze	D2525	YY21BA		122	115	99	17%	1.94	S
Surfmist®	D2525	YA236A		214	218	212	71%	3.35	S
Timberland	D2525	YP175A		86	89	84	12%	3.95	S
Timberland	D2525	YP275A		86	89	83	12%	2.19	S
Titanium Pearl	D2525	YY163A		94	99	97	15%	4.69	S
Titanium Pearl	D2525	YY263A		97	101	96	13%	3.25	S
Vintage Silver	D2525	YY22NA		105	109	110	18%	1.99	S
Viper Green	D2525	YK051A		104	160	72	27%	4.39	S
White	D2525	YA25BA		229	236	236	86%	0.71	S
Asteroid Pearl	D3020	8Y270A		91	92	84	11%	3.37	
Beachouse Yellow	D3020	8E219A		242	193	55	52%	1.86	
Bronze Pearl	D3020	8Y225A		86	77	57	8%	2.13	
Champagne Pearl	D3020	8Y276A		178	180	172	41%	3.55	
Crystal Mint Pearl	D3020	8Y223A		74	165	144	28%	2.64	
Dark Bronze	D3020	8Y224A		82	76	64	8%	2.33	
Desert Dream	D3020	8M201A		198	144	90	31%	1.69	
Gold Pearl	D3020	8Y221A		171	174	95	28%	2.87	
Hardy Reef	D3020	8J215A		59	122	171	17%	1.37	
Honey Myrtle	D3020	8E207A		234	213	144	60%	2.53	
Hyper Black	D3020	8N209A		43	48	47	4%	1.75	
Hyper Charcoal	D3020	8L210A		66	74	75	8%	1.31	
Hyper Coin	D3020	8Y211A		179	188	189	45%	4.04	
Hyper White	D3020	8A210A		251	255	252	87%	2.41	
Monument	D3020	8L244A		62	59	56	8%	1.29	
Outback Red	D3020	8G212A		136	71	60	11%	1.64	
Red Bush Apple	D3020	8M214A		99	64	55	8%	2.23	
Rojo Rock	D3020	8M213A		142	87	61	14%	1.44	
Sandstone	D3020	8A237A		230	234	234	71%	2.47	
Sea Storm	D3020	8L216A		72	84	79	9%	1.33	
Simpson Clay	D3020	8G200A		225	169	140	43%	2.05	
Titanium Pearl	D3020	8Y263A		97	101	96	13%	2.58	

S - Ready to Ship, O - Made to Order Product

AAMA 2604 & 2605

COLORBOND® is a registered trade mark of BlueScope Steel Limited. ABN 16 000 011 058.

Warranty standards

Standards	UV Resistance	Corrosion	Coating performance warranty	Coating colour retention	Most suitable Interpon products
AAMA 2604	5 year Florida	3000 hours	25 years	20 years	D2525*
AAMA 2605	10 year Florida	4000 hours	35 years	30 years	D3020†

Global warranties

AkzoNobel is the world's largest manufacturer and supplier of globally warranted architectural grade powder coatings – Interpon. For peace of mind, some fabricators choose Interpon powder coating's global network of accredited applicators to attain the Interpon global performance warranties specific to their project. It should be noted that the warranties are applicable to the country where the components were prepared and applied and warranty information should be sought through this channel. Should you require further assistance on the warranty – please seek information from the AkzoNobel office in the country of application or contact your local Interpon powder coatings representative for advice.

† D3020 could be suitable in locations <10m from the high tide line (contact your Interpon Specifications Representative) and is NOT suitable in strongly acidic environments so PH must be >5. Global warranty when applied by an Interpon Accredited Approved Applicator.

*D2525 is only suitable for coastal environments >10m from the high tide and is not suitable in strongly acidic environments so PH must be >5. Global warranty when applied by an Interpon Accredited Approved Applicator.

Interpon D2525

Pearl White
Matt YA278A S
RGB 249, 255, 255 LRV 89%

Pearl White
Gloss YA075A S
RGB 236, 243, 244 LRV 91%

Appliance White
Satin YA196A S
RGB 238,243,240 LRV 91%

Surfmist®
Matt YA236A S
RGB 214, 218, 212 LRV 71%

Lunar Grey
Matt YP273A S
RGB 194, 200,197 LRV 60%

Oia Silky
Texture YL316I O
RGB 164, 160, 154 LRV 39%

Driftwood
Matt YL258A S
RGB 208, 213, 210 LRV 58%

Silver Pearl
Matt YY230A S
RGB 177, 182, 178 LRV 42%

Anodic Natural
Matt YY223A S
RGB 175, 180, 175 LRV 41%

Citi Pearl
Matt YY245A S
RGB 180,184,180 LRV 43%

Champagne Riche
Matt YW277G O
RGB 189,184,167 LRV 44%

Luxe Bronze Pearl
Matt YY255A S
RGB 173,164,144 LRV 36%

Scintillating Champagne
Matt YW26FC S
RGB 154, 138, 126 LRV 29%

Champagne Pearl
Matt YY276A S
RGB 178,180,172 LRV 41%

Nobel Silver Pearl
Satin YX136A S
RGB 149, 149, 147 LRV 31%

Silver Riche
Matt YW209G O
RGB 171,178,176 LRV 40%

Pewter Pearl
Satin YY124A S
RGB 128,135,136 LRV 27%

Eternal Silver
Satin YW100C S
RGB 149,154,161 LRV 30%

Anodic Slate Grey
Matt YY218A O
RGB 137, 136, 135 LRV 23%

Grey
Satin YP174A S
RGB 111, 118, 119 LRV 21%

Timberland
Matt YP275A S
RGB 86, 89, 83 LRV 12%

Timberland
Satin YP175A S
RGB 86, 89, 84 LRV 12%

Monument®
Matt YL264A S
RGB 62, 59, 56 LRV 8%

Monument® MKII
Satin YP182A S
RGB 68, 73, 72 LRV 9%

Titanium Pearl
Satin YY163A S
RGB 94, 99, 97 LRV 15%

Titanium Pearl
Matt YY263A S
RGB 97, 101, 96 LRV 13%

Charcoal
Matt YL238A S
RGB 60, 67, 69 LRV 6%

Charcoal
Satin YP116A S
RGB 62, 70, 73 LRV 8%

Dark Grey
Matt YP278A S
RGB 67, 73, 75 LRV 8%

Ebony
Matt YN201A S
RGB 49, 54, 51 LRV 4%

S Ready to Ship O Made to Order Product

Black
Satin YN167A S
RGB 44, 50, 49 LRV 5%

Charcoal Pearl
Matt YY237A S
RGB 63, 65, 62 LRV 6%

Endura Bronze
Matt YY248A S
RGB 93, 93, 88 LRV 13%

Asteroid Pearl
Matt YY270A S
RGB 91, 92, 84 LRV 11%

Bronze Pearl
Matt YY225A S
RGB 77, 71, 56 LRV 8%

Bleu
Texture YY311A O
RGB 54, 73, 84 LRV 8%

Copper Penny
Matt YY22AA O
RGB 143, 98, 68 LRV 18%

Interpon D2525 Structura

Structura Pearl White
Texture YA378A S
RGB 228,239,243 LRV 87%

Structura Surfmist
Texture YA346A S
RGB 206, 210, 204 LRV 67%

Structura Gris
Texture YL325A S
RGB 149, 145, 133 LRV 32%

Structura Quantum Green Pearl Texture YY315A S
RGB 92, 98, 70 LRV 14%

Structura Ordos
Texture YY324A S
RGB 123, 89, 65 LRV 15%

Structura Scinti Champagne
Texture YY318A S
RGB 141, 135, 121 LRV 28%

Structura Golden Touch
Texture YY35BA S
RGB 137,123,97 LRV 24%

Structura Silver
Texture YX369A S
RGB 157, 163, 161 LRV 39%

Structura Gondar Gold
Texture YY372A S
RGB 163, 124, 63 LRV 26%

Structura Core Ten
Texture YX365A S
RGB 85, 68, 59 LRV 9%

Structura Medium Bronze
Texture YY398A S
RGB 79, 74, 63 LRV 9%

Structura Asteroid
Texture YY369A S
RGB 74, 75, 70 LRV 9%

Structura Brilliant
Texture YY374A S
RGB 94,98,98 LRV 15%

Structura Bass
Texture YY373A S
RGB 68, 74, 74 LRV 9%

Structura Monument
Texture YL364A S
RGB 66, 70, 70 LRV 8%

Structura Flaxpod
Texture YL395A S
RGB 61, 65, 65 LRV 7%

Structura Ironsand
Texture YM333A S
RGB 66, 68, 65 LRV 8%

Structura Black
Texture YN306A S
RGB 48, 53, 52 LRV 5%

S Ready to Ship O Made to Order Product

Interpon D2525 Flat Matt

White
Flat Matt YA25BA S
RGB 229,236,236 LRV 86%

Linen
Flat Matt YY28PA S
RGB 222, 224, 218 LRV 73%

Natural Shimmer
Flat Matt YY25AA S
RGB 186,190,189 LRV 46%

Champagne Shimmer
Flat Matt YY24NA S
RGB 135,127,114 LRV 25%

Sunstone Bronze
Flat Matt YY21BA S
RGB 122,115, 99 LRV 17%

Pure Gold
Flat Matt YY22BA S
RGB 169, 141, 95 LRV 27%

Golden Touch Pearl
Flat Matt YY25BA S
RGB 133,119, 92 LRV 22%

Brilliance
Flat Matt YY23TA S
RGB 103, 99, 88 LRV 15%

Medium Bronze Pearl
Flat Matt YY23NA S
RGB 87, 80, 66 LRV 11%

Dark Bronze
Flat Matt YY20BA S
RGB 67, 65, 56 LRV 6%

Pacific Blue
Flat Matt YY23BA O
RGB 112,129,133 LRV 20%

Vintage Silver
Flat Matt YY22NA S
RGB 105,109,110 LRV 18%

Basalt
Flat Matt YP227A S
RGB 82, 87, 86, LRV 12%

Monument®
Flat Matt YP229A S
RGB 55, 59, 57 LRV 6%

Black Ink
Flat Matt YN21BA S
RGB 48, 53, 51 LRV 4%

Interpon D2525 Color Vitality

Brilliant Yellow
Gloss YE087A S
RGB 245, 223, 61 LRV 66%

Lycra Strip
Gloss YK063A S
RGB 200, 217, 84 LRV 53%

Viper Green
Gloss YK051A S
RGB 104,160, 72 LRV 27%

Shamrock Green
Gloss YK043A S
RGB 71,110, 64 LRV 13%

Sensation
Gloss YF049A S
RGB 222,106, 49 LRV 75%

Lobster
Satin YG154A S
RGB 165, 56, 45 LRV 12%

Bondi Blue
Gloss YJ046A S
RGB 48,131,193 LRV 20%

Jaybird
Satin YJ175A S
RGB 27, 97,147 LRV 11%

S Ready to Ship O Made to Order Product

Colors displayed on this color card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of color and gloss variation may occur. Where more than one finish is available product color may vary. We recommend that you use production line prepared samples for final color selection or approval.

Ready to Ship (S) and Made to Order (O) products are current as at color card printing. Stocking policy may change over time without notice.

COLORBOND® and ® colour names are registered trade marks of BlueScope Steel Limited. TM colour names are trade marks of BlueScope Steel Limited. ABN 16 000 011 058. All rights reserved

Interpon D3020

Hyper White
Matt 8A210A
RGB 251, 255, 252 LRV 87%

Sandstone
Matt 8A237A
RGB 230, 234, 234 LRV 71%

Honey Myrtle
Matt 8E207A
RGB 234, 213,144 LRV 60%

Desert Dream
Matt 8M201A
RGB 198, 144, 90 LRV 31%

Gold Pearl
Matt 8Y221A
RGB 171, 174, 95 LRV 28%

Hyper Coin
Matt 8Y211A
RGB 179, 188, 189 LRV 45%

Champagne Pearl
Matt 8Y276A
RGB 178, 180, 172 LRV 41%

Simpson Clay
Matt 8G200A
RGB 225, 169, 140 LRV 43%

Rojo Rock
Matt 8M213A
RGB 142, 87, 61 LRV 14%

Outback Red
Matt 8G212A
RGB 136, 71, 60 LRV 11%

Titanium Pearl
Matt 8Y263A
RGB 97, 101, 96 LRV 13%

Asteroid Pearl
Matt 8Y270A
RGB 91, 92, 84 LRV 11%

Dark Bronze
Matt 8Y224A
RGB 82, 76, 64 LRV 8%

Bronze Pearl
Matt 8Y225A
RGB 86, 77, 57 LRV 8%

Red Bush Apple
Matt 8M214A
RGB 99, 64, 55 LRV 8%

Sea Storm
Matt 8L216A
RGB 72, 84, 79 LRV 9%

Monument®
Matt 8L244A
RGB 62, 59, 56 LRV 8%

Hyper Charcoal
Matt 8L210A
RGB 66, 74, 75 LRV 8%

Hyper Black
Matt 8N209A
RGB 43, 48, 47 LRV 4%

Hardy Reef
Matt 8J215A
RGB 59, 122, 171 LRV 17%

Crystal Mint Pearl
Matt 8Y223A
RGB 74, 165, 144 LRV 28%

Beachouse Yellow
Matt 8E219A
RGB 242, 193, 55 LRV 52%

Care & maintenance

Over time powder coatings may show signs of weathering such as loss of gloss, chalking and slight color change. A regular clean, as per table, will minimize the effects of weathering and will remove dirt and grime detrimental to al powder coatings. The best method of cleaning is by regular washing of the coating using a solution of warm water and nonabrasive, pH neutral detergent solution. Surfaces should be thoroughly rinsed after cleaning to remove all residues. All surfaces should be cleaned using a soft cloth, sponge or a soft natural bristle brush.

Category (AS4312)	Corrosivity level	Environment type	Required cleaning‡
C1 & C2	Very low & low	Non-hazardous Environment	Every 12 months
C3/T	Medium	Tropical Environment	Every 12 months
C4	High	Swimming Pools / Light Industrial	Every 6 months
C4	High	Coastal Environment	Every 6 months
C5-M	Very high	Beach Front / Marine	Every 3 months
C5-I	Very high	Heavy Industrial Environment	Every 3 months

‡Refer Interpon Powder Coatings – care and maintenance sheet for further details.

AkzoNobel

Since 1792, we've been supplying the innovative paints and coatings that help to color people's lives and protect what matters most. Our world class portfolio of brands – including International, Sikkens and Interpon – is trusted by customers around the globe. We're active in more than 150 countries and use our expertise to sustain and enhance everyday life. Because we believe every surface is an opportunity. It's what you'd expect from a pioneering and long-established paints company that's dedicated to providing sustainable solutions and preserving the best of what we have today – while creating an even better tomorrow. Let's paint the future together.

For more information please visit www.akzonobel.com.

© 2026 Akzo Nobel N.V. All rights reserved.

All products supplied & technical advice given are subject to the standard terms of sale of the AkzoNobel supplying company. Copyright ©2025 Akzo Nobel Powder Coatings Ltd. Interpon is a registered trademark of AkzoNobel.

MKT 2651 | Issue 1 - 07/2026

AUSTRALIA

t: 1800 630 516

e: salesoz@akzonobel.com

www.interpon.com.au

NEW ZEALAND

t: 0800 150 527

e:interponnz@akzonobel.com

www.interpon.co.nz

Interpon App
Our Interpon App opens the door to all you need to know about Interpon powder coatings

Interpon Design App
Created especially for architects and specifiers

Download on the App Store

Building a sustainable future

The Interpon powder coatings range is a family of products that is not just helping us to imagine the future; it is also protecting it. Backed by an Environmental Product Declaration (EPD), the raw materials, manufacture and transportation associated with creating Interpon D have been assessed by an independent third-party for transparent sustainability credentials.

EPD® THE INTERNATIONAL EPD® SYSTEM

Green Building Council Australia Member 2026-2027

Follow us
Powder Coatings by AkzoNobel

interpon.com

Interpon®

Architectural

Your imagination starts with our finish